State of New Hampshire



WATER DIVISION
WASTEWATER ENGINEERING BUREAU
P. O. BOX 95, 6 HAZEN DRIVE
CONCORD, NEW HAMPSHIRE 03302-0095
(603) 271-3908



SEPTAGE HOLDING TANK REGISTRATION

in accordance with Env-Ws 1606

APPLICANT INFORMATION			
NAME OF APPLICANT:			
ADDRESS OF APPLICANT:			
		ZIP:	
HOME PHONE # ()			
APPLICANT BUSINESS			
NAME OF BUSINESS :			
BUSINESS ADDRESS:			
		ZIP:	
BUSINESS PHONE #()			
SEPTAGE HAULING COMPANY			
NAME :			
PERMIT NUMBER:			
LAND OWNER'S INFORMATION	N (if different than applicant)		
NAME OF OWNER :			
OWNER'S ADDRESS:			
OWNER'S PHONE # ()			
TANK INFORMATION			
STREET ADDRESS OF TANK(S): _			
TAX MAP:			
CURRENT DEED REFERENCE:			
	Book	Page	



Number of tanks on site Use additional sheets if necessary.				
1.	CAPACITY OF THE TANK (gallons)	YEAR INSTALLED	AGE OF TANK	
2.	CAPACITY OF THE TANK (gallons)	YEAR INSTALLED	AGE OF TANK	
3.	CAPACITY OF THE TANK (gallons)	YEAR INSTALLED	AGE OF TANK	
List any other state or local permits or approvals which are required and their status:				

ATTACH THE FOLLOWING: (in accordance with Env-Ws 1606.03)

Each registrant of a septage holding tank shall submit a plan that contains the information:

- (1) A locus map which identifies the proposed tank location(s).
- (2) Identification of all access roads and access control measures.
- (3) Identification of all roads, boundary lines, structures within 200 feet of the holding tank location, structures on the property, any easements or rights-of-way which exist on the property, and the buffer zones as specified in Env-Ws 1606.04(d).
- (4) Identification of surrounding land use within 200 feet of the property on which the holding tank is proposed to be located.
- (5) Holding tank(s) specifications, including details of tank and piping design.

DESIGN CRITERIA FOR HOLDING TANKS (in accordance with Env-Ws 1606.04)

- (1) Each tank shall be watertight.
- (2) All piping, valves and connections shall be water tight, accessible and capable of being cleaned.
- (3) All inlet and outlet connections shall be constructed such that no material will leak, spill, or run out of the tank during transfer.
- (4) Except for existing registered tanks, no holding tank shall be located within buffer distances identified in Table 1608 II.
- (5) the aggregate volume of septage holding tank(s), located at a site, facility, or on a permitted hauler's property shall not exceed 10,000 gallons.



Applicant Signature

The applicant(s) must sign the following statement prior to submitting this application. All copies of the application filed with DES must bear the applicant's ORIGINAL signature(s). If the applicant is not an individual, the application shall be signed by an individual duly authorized by the applicant.

- I certify that all operators of the facility have been instructed on the requirements of Env-Ws 1600 of shall be instructed prior to working at the site/facility.
- To the best of my knowledge and belief, the information and material submitted herewith is correct and complete.
- I understand that any approval granted by DES based on false and/or incomplete information shall be subject to revocation or suspension, and that administrative, civil or criminal penalties may also apply.
- I certify that this application is submitted in a complete and accurate form as provided by DES without alteration of the text.

Applicant Name (Print Clearly or Type)	Co-Applicant Name (Print Clearly or Type:	
Applicant Signature	Co-Applicant Signature	
Date	Date	
THE APPLICANT IS NOT THE OWNER, TI	HE OWNER MUST SIGN THE FOLLOWING STATEMENT:	
	(PRINT NAME), as landowner, am aware that sion to the above applicant to file the registration, install the septage holding tank tigation, construction and operation of the holding tank(s).	
Owner Name (Print Clearly or Type)		

SUBMIT TWO COPIES OF ALL INFORMATION TO:

NH Department of Environmental Services
Wastewater Engineering Bureau
P.O. Box 95 6 Hazen Dr.
Concord, NH 03301
Attention: Sludge & Septage Management Section
(603) 271-7888